

Co:Z Co-Processing Toolkit for z/OS

Co:Z Toolkit Installation and Release Notes

Steve Goetze
Kirk Wolf

V 2.0.1 Edition

Published January, 2012

Copyright © 2012 Dovetailed Technologies, LLC

Table of Contents

Revision History	iii
1. Introduction	12
1.1. Packaging	12
Co:Z Toolkit for z/OS	12
Co:Z Target System Toolkits	13
2. Installation	14
A. License	17

Revision History

Co:Z Toolkit 2.0.1 - January 14, 2012

This release makes the following minor changes to the 2.0.0 (Beta) release, and is no longer considered "Beta".

- Fixed a problem in Co:Z SFTP JES support - jobs submitted to `//-JES.INTRDR` may now be listed after they are submitted.
- Corrected an issue in Co:Z SFTP where writing to a z/OS dataset using a source file with a line longer than 128K would fail with an error "InputBuffer will not hold xxxxx bytes of new data".
- Enhanced the sample `sftp_batch` scripts to support SAF keyrings with private keys stored in hardware. See the comments in `sample/scripts/sftp_batch/sftp_connect.sh` for more information.

Co:Z Toolkit 2.0.0 (Beta) - December 1, 2011

Note: We recommend that you use this release if you are evaluating or testing Co:Z outside of a production environment. We expect to provide production support for this release level within 60 days. If you are a commercial customer and have specific support requirements, please contact us. This release makes the following enhancements and fixes:

- Extended Access Volume (EAV) support has been added to Co:Z SFTP.
- Enhanced the Co:Z SFTP client and server to write log message records (INFO level and above) to SMF 119, using new subtypes 192 (client) and 193 (server).
- Added a utility program `ssh-socket-info` which is invoked by the Co:Z SFTP client to get more accurate socket information for SMF records. This program uses the IBM EZBNMIFR network management API, which requires the `ssh-socket-info` program to be APF authorized. The Co:Z installer will attempt to set the "+a" extattr bit on this program, but will only succeed if the installing userid has READ access to the `BPX.FILEATTR.APF` SAF resource. If for some reason, this program is not APF authorized, Co:Z SFTP will operate properly, but the SMF socket information is not guaranteed to be accurate.
- Support for hex pad characters has been added to Co:Z SFTP.
- Changed the `catsearch` utility to automatically show user catalog entries. Added an option (`-e`) to allow for a custom selection of entry types.

Co:Z Toolkit 1.10.1 - November 7, 2011

This release makes the following enhancements and fixes:

- The Co:Z Launcher now makes the `SYSIN DD` available for application use.
- Added several sample shell scripts and JCL to simplify the use of `cozsftp` in batch jobs. See the `$COZHOME/sample/scripts/sftp_batch` and the new `SFTPPROC`, `SFTPIND`, and `SFTPSAMP` JCL members in the installation's `SAMPJCL PDS`.
- Changed the Co:Z SFTP server to provide FTP style confidence indicator in the `CZPOSTPR` exit.
- Fixed a problem in the `cozsftp` shell script where command line arguments were not being transparently

passed to the Co:Z SFTP client. This problem could affect the use of the `-oIdentityKeyRingLabel` option, which requires quoting. This bug was introduced in release 1.9.0. Contact us if you would like a local fix for releases 1.9.0 through 1.10.0.

- Fixed a problem where BPXWDYN dataset options were not being properly overridden when associated with a file pattern.
- Fixed a problem in dataset code where a read error might not be detected.
- The LOGNAME feature introduced in the previous release was not working properly. This has been fixed.

Co:Z Toolkit 1.10.0 - September 15, 2011

This release makes the following enhancements and fixes:

- Added a feature to Co:Z SFTP that allows file transfer settings to be associated with POSIX filename and z/OS Dataset patterns. See the updated Co:Z SFTP documentation for details
- Added the `technique` option to Co:Z SFTP. This option is used to specify the Unicode System Services Technique used when translating between the client and server codepages
- Co:Z Batch now automatically sets the LOGNAME environment variable to the current z/OS userid. This is in addition to the existing behavior of setting the HOME environment variable to the current user's home directory.
- Co:Z Launcher now automatically sets the LOGNAME and HOME environment variables.
- The `pdsdir` command has been enhanced (via the `-n` option) to display only member names.
- Fixed a problem with dataset pipes handling of hex character line terminators (0xnnnn).
- Fixed a problem with `cozsftp` where a non latin locale caused the client to not work properly.
- Added the sample program `CoZSmfServer` which demonstrates how SMF records may be received in real time from Co:Z client and server. See the documentation and build instructions in `$COZ_HOME/samples/smfapi/CoZSmfServer.C`

Co:Z Target System Toolkit 1.0.14 - June 7, 2011

Enhanced Co:Z Agent to track the parent sshd process and detect if it has terminated abnormally (e.g. due to the Job Step being cancelled by the operator). If this condition is detected, the Co:Z Agent will terminate its process group, which will prevent orphaned processes from continuing to run on the target system.

Co:Z Toolkit 1.9.0 - May 16, 2011

This release makes the following enhancements and fixes:

- Co:Z SFTP now returns the "last referred date" (midnight) from the VTOC for datasets as last changed time. While not accurate, this is a reasonable substitute and better than the base UNIX epoch date of 1969-12-31
- The `cozsftp` command is now a shell script. The executable has been renamed to `cozsftp_cmd`. This should be a transparent change to existing jobs. However, it adds a new capability to allow customization of the `cozsftp` command line arguments. See [*cozsftp_client.rc*](#) for more information.
- Fixed a problem with long (>256) character unix file paths in Co:Z SFTP

- Cleaned up formatting of long dataset name listings in Co:Z SFTP
- Fixed a problem where `disp=mod` was incorrectly being added to `bpxwdyn` allocations of new datasets in Co:Z SFTP
- Fixed a problem with the `-p` option on the `get` subcommand of `cozsftp`.
- Added subcommands `ascii` and `binary` to `cozsftp`. These operate as synonyms to the option settings `lzopts mode=text` and `lzopts mode=binary` respectively.
- Added a new option `-N` to COZBATCH to respect digits in columns 73-80 in STDIN rather than stripping them out, which is the default behavior.

Co:Z Toolkit 1.8.0 - February 3, 2011

This release makes the following enhancements and fixes:

- A new Co:Z SFTP client option `ssh-le-options` can be used to set LE options for IBM Ported Tools OpenSSH. This option can be set in `/etc/ssh/cozsftp_config` to simplify the process of implementing IBM APAR [OA34819](#).
- The `ssh-le-options` settings in the sample configuration files for both Co:Z Launcher and the Co:Z SFTP client were updated to reflect IBM APAR OA34819.
- A new configuration option `properties-exit` was added to the Co:Z Launcher which allows properties to be dynamically provided by a user-supplied exit program or script.T
- Fixed a bug in Co:Z SFTP that can cause an OC4 when querying JES spool jobs using a jobname or owner longer than 8 characters.
- Fixed a bug in Co:Z SFTP that caused the "mode=text" setting to be treated as binary if "mode=TEXT" was given.

Co:Z Toolkit 1.7.8 - January 17, 2011

This release fixes a potential OC4 exception when the 'noreplace' option is used.

Co:Z Toolkit 1.7.7 - January 14, 2011

This release fixes several problems:

- In Co:Z SFTP, listing dataset levels that contain GDGs may cause a loop/hang condition.
- An OC4 exception can occur in Co:Z SFTP if there is an open error on a z/OS dataset.
- In Co:Z SFTP, a z/OS-formatted dataset listing displays January "Last Referred" dates with a day that is one less than the actual LastReferred date.
- A debug-level log message was added to Co:Z SFTP client and server to print out the requested and actual REGION size.

Co:Z Toolkit 1.7.5 - December 13, 2010

In addition to the changes made in the 1.7.4 beta release, the following enhancements and minor fixes are included in this production release:

- A memory leak was fixed in Co:Z SFTP that caused out-of-memory errors if many Unix files were transferred using a small REGION size.
- A fix to Co:Z SFTP job submission which sometimes prevented the display of job handles if multiple jobs were submitted in the same session.
- The **read_passwd_dsn_sh** script was changed to allocate the dataset with DISP=SHR.
- The **lsjes** z/OS Unix command was added to Dataset Pipes to support listing the status of jobs and spool files. Thanks to John McKown for the utility name and the idea of offering this feature as a standalone utility.
- The Dataset Pipes **fromdsn** command was enhanced to support reading JES spool files.
- The Co:Z **safauth** has been enhanced to add DSA key support.
- Some of the JCL members in the SAMPJCL PDS have been renamed for clarity. See the @@README member for details.

Co:Z Target System Toolkit 1.0.11 - December 13,2010

Production version of the previous (beta) 1.0.9 release. This version has a minor change to the target program child I/O process wait / cleanup.

Co:Z Target System Toolkit 1.0.9 - September 30,2010 (Beta Release)

Note: This release of the Co:Z Target System Toolkit should only be used with version 1.7.4 or later of the z/OS Co:Z Launcher. Previous versions are still compatible with Co:Z Launcher 1.7.4.

- CoZAgent changed to emit a "Waiting for completion..." message every five minutes. This may be helpful to keep the ssh session alive in some environments where the connection may otherwise timeout.
- CoZAgent changed to detect cleanup errors with the stdin/stdout/stderr handlers and to exit with RC=103 if one of these child processes did not complete successfully.
- CoZClient and the fromdsn/todsn clients changed to support a new environment variable: **COZ_SSH_OPTS**. This environment variable can be set in a client-initiated ssh connection to set user@host and any other ssh option defaults. This variable should not be set when running under the Co:Z Launcher.

Co:Z Toolkit 1.7.4 - September 28, 2010 (Beta Release)

- Co:Z SFTP - significant enhancements to JES support:
 - Support for submitting jobs to internal reader A handle/name can be used to refer to submitted jobs. New settings **jesrecfm** and **jeslrecl** can be used to control format of internal reader dataset.
 - A new setting **jesjobwait** allows for waiting for job completion before listing or downloading spool files.
 - Support for downloading concatenated spool files for a job.
 - Selection of spool files by either dsid or [step.[procstep.]]ddname.
 - New setting **jesstatus** can be used to filter job listing by status.
 - **sftp-server.sh** changed to remove empty log files on completion.

- Fixed bug where fixed options could be overridden.
- Co:Z Launcher
 - Added `ssh-le-options` to property to allow setting of RUNOPTS for ssh child process. Set the default in COZCFGD so to set the initial HEAP size for Ported Tools OpenSSH to avoid storage allocation problem.
 - Fixed a timing bug that sometimes results in not cleaning up child processes. Before this fix, target `fromdsn/todsn` commands occasionally do not get cleaned up properly.
- Enhanced to **safauth** command to allow **volser** option.
- Fixed bug in **genlines** command in processing **-l rdw** option.

1.7.2 - July 23, 2010

- Made the Co:Z toolkit compatible with IBM Ported Tools for z/OS version 1.2. Specifically, components in the toolkit that spawn the ssh client have been changed to spawn with a default setting of `_BPX_SHAREAS=YES` (the old default value was `MUST`). This accomodates IBM's change to ssh that requires it to run in a separate address space.
- Added `create-symlinks.sh` script in the Co:Z install directory. This script can be used to add or replace the symbolic links to the commonly used Co:Z executables.

1.7.1 - <not released - items below are included in all subsequent releases>

- Added new option `(no)replace`.
- Changed the way the sftp-server log filenames are calculated to eliminate a potential race condition on the name.

1.7.0 - June 8, 2010

- Added support for new `/etc/ssh/cozsftp_config` and `/etc/ssh/cozsftp_server_config` site configuration files.
- Fixed a problem traversing from `/+` to its parent (root).
- Enhanced `sftp-server.sh` to write a message to the console if the log file or `/tmp` is full.
- Sample configuration and `.rc` files are now packaged in a `samples` directory.
- Changed product to use a more corporate-friendly free *Community License* and made Co:Z FTP-SSH Proxy an add-on component. See the licensing *FAQ* for more information.

1.6.1 - April 16, 2010

- Fixed a problem in Co:Z SFTP server where certain options set via the `SFTP_ZOS_OPTIONS` environment variable can cause a loop.
- Fixed a problem in Co:Z SFTP client and server where SMF records were not being cut for transfers to

SYSOUT datasets.

1.6.0 - March 30, 2010

- Fixed a problem in the Co:Z SFTP where dataset write errors might not be reported correctly.
- Fixed a problem in the Co:Z SFTP server where no error was being reported if too many catalog search entries were being read during a client listing request. The client will now report a directory read error and the error log will contain a message.
- Fixed a problem in the Co:Z SFTP server which can prevent uploading to a SYSOUT dataset.
- Fixed saf-ssh-agent so that it reports the exit code of the command run under the -c option. Also fixed a potential race condition where the agent might not start in time for the ssh client to use it.
- Changed cozsftp and CozClient to retry fork() when receiving EAGAIN on z/OS. This is in response to IBM USS DOC APAR OA30943 (Problem #1).
- Added a new z/OS shell command "safauth" which can be used to check the current user's authorization for a SAF resource.

1.5.3 - January 19, 2010

- Enhanced saf-ssh-agent with a new option (-c) that accepts a command (such as ssh) to run as a child process so that it can authenticate via SAF RACDCERT digital certificates.
- Enhanced Co:Z SFTP to provide an interface to z/OS JES job status and spool files. Future releases of Co:Z will also support enhanced job submit, cancel, and purge facilities

1.5.2 - December 8, 2009

- Minor fix to Co:Z SFTP for the `space=blk` setting. This will cause the BPXWDYN keyword `block(n)` to be used, where `n` is either the value on the `blksize` keyword or 0 if the `blksize` keyword is not set.

1.5.1 - December 2, 2009

- Minor fix to Co:Z SFTP FTP-compatible user exit support so that check-command exits are properly called when setting the `unit` and `ucount` options.

1.5.0 - November 2009

- Support added to enable the use of RACF RSA Digital Certificates for OpenSSH client authentication. This feature can be exploited by both the Co:Z Launcher and the z/OS SFTP client (`cozsftp`).
- Co:Z Launcher MVS console communication has been enhanced to automatically fold input to lower case. The underscore ('_') escape character can be used to force the character that follows to upper case.
- The `todsn` command `-x` option has been enhanced to allow the BPXWDYN `DD` or `FI` keyword to allow the use to specify a specific DD name to dynamically allocate rather than using a default system-assigned DD name.
- Fixed a problem in `cozsftp` with large buffers (-B option) that was causing hangs and or poor throughput.

- Fixed a problem in Co:Z SFTP so that when processing HFS/zFS files, ASCII linefeed characters (x'0a) are properly substituted for ASCII NEL characters (x'85'). This problem had affected some users who requested `linerule=crlf` with codepages that by default converted EBCDIC linefeed to ASCII NEL (x'85').

1.4.1 - October 2009

This release includes the following changes to Co:Z SFTP from the prior GA release:

- Support for IBM FTP compatible user exits.
- minor bug fixes to several fields in SMF 119 records that were not produced the same as IBM FTP.
- the `CONDDISP=DELETE` option will now delete MVS datasets or HFS/zFS files that are being written to by either the SFTP client or server in the case of an incomplete or interrupted file exchange.
- Corrected MVS dataset name handling with respect to `"/` and `"/` appearing in file names.
- Corrected an OC7 that occurred when processing PDS directories with old SPF format statistics

1.3.2 - July 2009

- Reworked Target System Toolkit to build on more *nix platforms, including FreeBSD.
- Added a new dataset prefix `#!/xxx.yyy` which forces the dataset `xxx.yyy` to be treated as a dataset rather than a "directory" even if datasets `xxx.yyy.zzz` exist.
- Fixed dataset estimated size calculation so as to avoid under estimating, which could cause performance problems with some SFTP clients.
- The file permissions for non-resident datasets were being reported as 000. This has been fixed so that these datasets have a mode of 0666.

1.3.0 - June 2009

- Co:Z SFTP has been enhanced to allow for an initial directory (or dataset qualifier) to be configured.
- SMF 119 records with failure codes are written when `cozsftp` or `sftp-server` terminates unexpectedly during file transfer.
- The software license has been simplified. The Co:Z components available in source form are now distributed under a more permissive license (no longer GPL).
- In some cases, dataset estimated size was not being properly estimated. This has been corrected.
- The `allowmount` keyword has been renamed `mount` to be consistent with current `BPXWDYN` implementations.

1.2.5 - April 2009

- Co:Z SFTP has been enhanced to allow for the recall of migrated datasets.
- `DTLSPAWN` has been improved and renamed `COZBATCH`.

1.2.4 - March 2009

- The Co:Z Launcher can now launch process on not only Windows, *nix, etc, but also another z/OS machine. The target z/OS must also have the z/OS toolkit installed. A new "-local" option is available on the z/OS fromdsn and todsn commands that allows a remotely launches z/OS process to use local dataset I/O.
- Co:Z SFTP has been corrected to allow group and generic unit names on the BPXWDYN "unit=" setting.

1.2.1 - January 2009

This release has some minor fixes to Co:Z SFTP.

- Navigating alias dataset levels as a "directory" now works better.
- SMF recording can be completely disabled by setting the "nosmf" option in the SFTP_ZOS_OPTIONS environment variable.
- fixed a problem with date formatting in long directory listings while using certain locales.

1.2.0 - December 2008

- Co:Z SFTP added to the Co:Z Toolkit.
- A Beta release of Co:Z FTP-SSH Proxy has been added.

1.0.8 - June 2008

- Changed todsn command so that binary or unterminated source lines properly flow to fill up output records to their maximum size. Previously, short records could result on 128kb boundaries when the output records were variable length.
- Change the todsn command so that the fopen() option "recfm=*" is added if recfm is not specified. This causes the DCB parameters on existing output datasets to be used if not explicitly overridden.

1.0.7 - May 2008

- Changed CoZLauncher to terminate app when STOP command received.
- Changed todsn and fromdsn to honor switches that override -b.
- Changed CoZLauncher and DTLSPAWN to report region size with DEBUG level logging.
- Added the ssh-shareas property to allow the ssh client to be spawned in a separate address space if desired.

1.0.6 - March 2008

- Added the server environment variable COZ_FORCE_ICONV to force the use of iconv for translation, even if Unicode System Services is available.
- Increased performance of single byte character set translations.

1.0.5 - February 2008

Changed the -b option on fromdsn/todsn to disable all translation, even if a source or target codepage was specified.

1.0.0 - December 2007

Co:Z Toolkit initial release

1. Introduction

The Co:Z Co-Processing Toolkit for z/OS consists of the following components:

- **Co:Z SFTP:** OpenSSH SFTP extended to support Datasets, SMF logging, FTP compatible user exits, and SAF/RACF Digital Certificate authentication. See the *[Co:Z SFTP User's Guide](#)*.
- **Co:Z Launcher and Dataset Pipes:**
 - The Launcher is a batch utility which remotely launches a process on a distributed system, redirecting input and output from that process to traditional z/OS datasets or spool files. Remote processes are securely launched using proven SSH (Secure Shell) technology to the target platform, which may be Linux, Windows, or other Unix/POSIX environments.
 - Dataset Pipes are utilities that convert datasets to/from files. These commands may be used locally or over an ssh connection.

See the *[Co:Z Launcher and Dataset Pipes User's Guide](#)*.

- **Co:Z COZBATCH:** An improved replacement for BPXBATCH. This utility is often used in conjunction with Dataset Pipes or Co:Z SFTP. See the *[Co:Z COZBATCH User's Guide](#)*

1.1 Packaging

The Co:Z Toolkit consists of two packages:

Co:Z Toolkit for z/OS

- **Package contents:**
 - Co:Z Launcher
 - Co:Z Dataset Pipes
 - Co:Z SFTP (client and server)
 - Co:Z Batch
 - Sample JCL
- **z/OS Host requirements:**
 - z/OS V1R7 or later
 - *[IBM Ported Tools for z/OS \(SSH\)](#)*

Co:Z Target System Toolkits



Note

Target system toolkits are only required by the Co:Z Launcher and / or remote Dataset Pipes components. All other toolkit components (e.g. Co:Z SFTP) run on z/OS and do not require target system toolkit installation.

The Co:Z Toolkit for Target Systems are supported on a wide variety of distributed platforms, including Linux, Windows, or other Unix/Posix platforms. The Co:Z Launcher is a particularly good fit for organizations that run both z/OS and Linux for System z connected via HiperSockets.

- **Package Contents:**

- Co:Z Launcher Agent
- Co:Z Dataset Pipes client commands

- **Windows Target System Toolkit requirements:**

- Supports the following Windows environments: 2000, XP, Vista, and Windows 7
- Requires the *Cygwin* environment.

- **Unix/Linux/Posix Target System Toolkit requirements:**

- An SSHD server, compatible with OpenSSH.
- Pre-built binary packages are available for many Linux distributions.
- Source code is also available for the traditional `configure`, `make`, `make install` process.

2. Installation

This chapter explains how to install the Co:Z Toolkit on z/OS. Once the toolkit is installed, individual components can be configured for use. For component configuration details, consult the user's guides (referenced in [Chapter 1, Introduction](#)).

For questions, please visit the [Dovetailed Technologies Co:Z Forum](#)

1. Download the Co:Z z/OS self-extracting installer file (download available from [dovetail.com](#)).
2. Upload **coz-vv.rr.mm.bin** file to the z/OS HFS or zFS file system. Make sure you transfer the file with a binary mode transfer option.
3. Verify that the cksum command (`cksum coz-vv.rr.mm.bin`) results match the checksum values published on the website download page.
4. The installation script requires a small amount of temporary space to run successfully. Ensure that your `/tmp` file system is not full.
5. The installing userid should have READ access to the BPX.FILEATTR.APF SAF resource. If not, Co:Z will install without APF authorization on the `ssh-socket-info` utility, but will otherwise operate properly. See http://dovetail.com/docs/sftp/options.html#ssh_socket_info
6. Make the installer file executable:

```
$ chmod +x coz-vv.rr.mm.bin
```

7. Run the installer:

```
$ ./coz-vv.rr.mm.bin

This software is licensed under the Co:Z Community License Agreement available
for review at http://dovetail.com/docs/coz/licenses.html or as part of this
install package in file LICENSE (the "License").
...

Do you agree to the above license terms? [yes or no]
yes
Enter home directory [/usr/local/coz] : 1
(Enter)
/usr/local/coz is not an existing directory, create it? [y/n] :
y
Enter new or existing target PDSE load module library name [SYS1.COZ.LOADLIB]: 2
(Enter)
The PDSE load module library 'SYS1.COZ.LOADLIB' does not exist, create it? [y]:
y
/usr/local/coz/loadmodules/COZBATCH -> //'SYS1.COZ.LOADLIB(COZBATCH)': executable
/usr/local/coz/loadmodules/COZLNCH -> //'SYS1.COZ.LOADLIB(COZLNCH)': executable

Enter new or existing PDS for Co:Z Sample JCL and PROCs [SYS1.COZ.SAMPJCL]: 3
(Enter)
The PDS 'SYS1.COZ.SAMPJCL' does not exist, create it? [y]:
y
/usr/local/coz/sampjcl/@@README -> //'SYS1.COZ.SAMPJCL(@@README)': text
```

```

/usr/local/coz/sampjcl/COZCFGD -> //'SYS1.COZ.SAMPJCL(COZCFGD)': text
/usr/local/coz/sampjcl/COZPROC -> //'SYS1.COZ.SAMPJCL(COZPROC)': text
...

Enter PATH directory in which to create command symlinks
or 'none' [/usr/local/bin]: ❶

(Enter)
created symlink /usr/local/bin/catsearch -> /usr/local/coz/bin/catsearch
created symlink /usr/local/bin/cozserver -> /usr/local/coz/bin/cozserver
created symlink /usr/local/bin/cozsftp -> /usr/local/coz/bin/cozsftp
created symlink /usr/local/bin/fromdsn -> /usr/local/coz/bin/fromdsn
created symlink /usr/local/bin/pdsdir -> /usr/local/coz/bin/pdsdir
created symlink /usr/local/bin/read_passwd_dsn.sh
        -> /usr/local/coz/bin/read_passwd_dsn.sh
created symlink /usr/local/bin/saf-ssh-agent -> /usr/local/coz/bin/saf-ssh-agent
created symlink /usr/local/bin/safauth -> /usr/local/coz/bin/safauth
created symlink /usr/local/bin/todsn -> /usr/local/coz/bin/todsn
created symlink /usr/local/bin/zsym -> /usr/local/coz/bin/zsym

FOMF0303I /usr/local/bin/ssh-socket-info: chattr() error: rv=-1, errno=8B, rsn=0924041A ❷
***
Unable to set extended attributes for program bin/ssh-socket-info
- see installation guide for more information
***

You should update user profiles so that MANPATH contains: /usr/local/coz/doc/man

*** Co:Z Installation complete ****
(see README and LICENSE in install root directory for more information)

```

- ❶ Enter the name of a new or existing zFS or HFS directory that will become the top-level "home" directory for the Co:Z Toolkit installation. This directory must be in a filesystem that is writable by the installing user and contains 12MB of free space. If you supply the name of an existing directory that is not empty, you will be prompted to continue, as it is not generally advisable to overlay an existing installation with a new version.
- ❷ The fully-qualified name of the PDSE library to contain the Co:Z Launcher and Co:Z Batch program objects. If this dataset exists, it must be a PDSE and existing Co:Z load modules will be replaced.
- ❸ The fully-qualified name of the PDS library to contain sample JCL for the Co:Z Toolkit. If this dataset exists, it must be RECFM=FB,LRECL=80 and existing members with the same names will be replaced.
- ❹ Several Co:Z Toolkit Unix commands, such as **cozsftp**, **fromdsn**, **todsn**, etc. should be made available in user's PATH. One option is to customize /etc/profile to add <COZ_HOME>/bin to the PATH, but an alternative is to create symbolic links in an existing PATH directory to the Co:Z user commands in <COZ_HOME>/bin.

To have the installation script create symbolic links, enter the name of the existing directory in which to create the links, or none to skip. When creating symlinks, this script will prompt you before replacing existing symlinks or files.

The <COZ_HOME>/install/create-symlinks.sh script can be used to create these links at a later time, or to replace links to one Co:Z home directory (version) with links to another. See the comments in this script for more information and example usage.

- ❺ These messages will appear if the installing userid does not have READ access to the BPX.FILEATTR.APF SAF resource. Co:Z will install properly and can be used, but the SMF socket information is not guaranteed to be accurate.

8. Install and configure *IBM Ported Tools for z/OS (SSH)* per the IBM documentation.

If possible, configure z/OS ssh to use /dev/random. This can significantly decrease startup times for the z/OS ssh client. See the "Trouble Shooting" chapter in the IBM z/OS Ported Tools manual for more information.

9. Some of the toolkit components require additional configuration. Details can be found in the individual user's guides. See *Chapter 1, Introduction* for more information.

Appendix A. License

The Co:Z Co-Processing Toolkit, comprised of Co:Z Launcher, Co:Z Dataset Pipes, Co:Z SFTP, Co:Z Batch, and the Co:Z Target System Toolkits is distributed under the Co:Z Community License Agreement (see below). *Note:* This community license is superseded for Co:Z Toolkit Enterprise License and Support customers. All components are distributed in binary form. The Co:Z Target Systems Toolkit and the Co:Z FTP-SSH Proxy and are also available in source form under the [Apache V2 License](#).

For more information, see our licensing [frequently asked questions](#).

CO:Z COMMUNITY LICENSE AGREEMENT

PLEASE READ THIS COMMUNITY LICENSE AGREEMENT (THIS "AGREEMENT") CAREFULLY. THIS AGREEMENT SETS FORTH THE TERMS ON WHICH DOVETAILED TECHNOLOGIES, LLC ("DOVETAIL"), A MISSOURI LIMITED LIABILITY COMPANY, MAKES AVAILABLE THE CO:Z CO-PROCESSING TOOLKIT FOR z/OS AT NO CHARGE FOR DOWNLOAD, INSTALLATION AND USE BY THE COMMUNITY. BY DOWNLOADING, INSTALLING, OR USING THE SOFTWARE, YOU ACKNOWLEDGE THAT YOU HAVE READ, UNDERSTAND, AND AGREE TO BE LEGALLY BOUND BY THIS AGREEMENT.

1. DEFINITIONS. As used in this Agreement, the following capitalized terms shall have the following meanings:

"Documentation" means Dovetail's accompanying user documentation for the Software, as may be updated by Dovetail from time to time, in print or electronic form.

"Software" means the Co:Z Co-Processing Toolkit for z/OS, comprised of Co:Z Launcher, Co:Z Dataset Pipes, Co:Z SFTP, Co:Z Batch, and the Co:Z Target System Toolkit in object code form only, together with certain sample code and scripts in source form.

"Update" means any bug fix, enhancement, or other modification to or update for the Software issued by Dovetail for general release to the Software community.

"You" means the person or entity downloading, installing or using the Software. If you are downloading, installing or using the Software on behalf of a company or organization, the term "You" refers to both you and your company or organization, and you represent and warrant that you have authority to bind your company or organization to the provisions hereof.

2. SOFTWARE LICENSE. During the term of this Agreement, and subject to the provisions hereof, Dovetail hereby grants to You, and You hereby accept, an enterprise-wide, non-exclusive, non-transferable, royalty-free and fully paid-up license to install and use the Software on an unlimited number of Your servers, solely for Your internal business purposes, in accordance with the Documentation, and in compliance with all applicable laws and regulations.

3. LICENSE RESTRICTIONS. You shall not, nor shall You authorize any other

person or entity to: (a) distribute, rent, lease, lend, sell, sublicense or otherwise make the Software available to any third party; (b) modify, adapt, alter, translate, or create derivative works of the Software; (c) use the Software in or as part of a service bureau, timesharing or outsourcing capacity; (d) develop an alternative to the Software that is based on or derived from, in whole or in part, the Software or Documentation; (e) remove or obscure any copyright, trademark or other proprietary rights notices or designations on the Software, the Documentation or any copies thereof; or (f) reverse engineer, decompile, disassemble, or otherwise attempt to derive the source code for the Software, except where such reverse engineering is expressly permitted under applicable law, but then only to the extent that Dovetail is not entitled to limit such rights by contract.

4. UPDATES. From time to time, Dovetail may make available Updates for the Software as a general release to the Software community. All such Updates (whether posted by Dovetail on the Dovetail website or included with the Software) shall be deemed part of the Software, and are licensed to You under the license and other provisions of this Agreement, together with any supplementary license terms that Dovetail may provide for such Updates.

5. YOUR RESPONSIBILITIES. You are responsible for: (i) installation of the Software and any Updates; (ii) selecting and maintaining all third party hardware, software, peripherals and connectivity necessary to meet the system requirements for the Software; (iii) creating a restore point for Your systems and backing up and verifying all data; and (iv) adopting reasonable measures to ensure the safety, security, accuracy and integrity of Your facilities, systems, networks and data. Dovetail shall have no responsibility or liability arising out of or resulting in whole or in part from Your failure or delay to perform any such responsibilities, or for acts or omissions of third parties, Internet or telecommunications failures, or force majeure or other events beyond Dovetail's reasonable control.

6. SUPPORT. This Agreement does not include, and Dovetail shall have no obligation under this Agreement to provide, any technical support or other professional services for the Software. If You are interested in purchasing a support plan for the Software, You should visit the Dovetail website to review Dovetail's then current offerings.

7. TERM; TERMINATION. This Agreement and Your license rights hereunder shall continue unless and until terminated as set forth herein. You may terminate this Agreement for convenience at any time by uninstalling, erasing all copies of, and ceasing all use of the Software and Documentation. This Agreement shall terminate immediately and automatically if You violate the license terms or restrictions for the Software, or materially breach any other provision of this Agreement and fail to cure such breach within ten (10) days after receiving notice thereof from Dovetail. Upon the expiration or termination of this Agreement for any reason: (i) Your license to the Software shall automatically and immediately terminate; and (ii) You shall discontinue use of the Software, promptly (within 5 days) uninstall and remove any remnants of the Software and Documentation from Your computers, network and systems, and destroy (or return to Dovetail) all tangible copies of the Software and Documentation in Your possession. Sections 1, 3, 5, 7, 8, 9, 10 and 11 of this Agreement shall survive the expiration or termination of this Agreement for any

reason, and shall be binding on and inure to the benefit of the parties and their permitted successors and assigns.

8. **DISCLAIMER.** THE SOFTWARE AND DOCUMENTATION ARE PROVIDED TO YOU UNDER THIS AGREEMENT "AS IS" WITHOUT REPRESENTATIONS OR WARRANTIES OF ANY KIND, EXPRESS OR IMPLIED, AND ALL USE IS AT YOUR OWN RISK. WITHOUT LIMITING THE FOREGOING, DOVETAIL AND ITS SUPPLIERS HEREBY disclaim any IMPLIED OR STATUTORY warranties of MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE OR NON-INFRINGEMENT. THE SOFTWARE IS NOT INTENDED OR LICENSED FOR USE IN ANY HAZARDOUS OR HIGH RISK ACTIVITY. DOVETAIL DOES NOT WARRANT THAT THE SOFTWARE WILL OPERATE UNINTERRUPTED OR ERROR-FREE, OR MEET YOUR BUSINESS, TECHNICAL OR OTHER REQUIREMENTS. No employee or agent has authority to bind DOVETAIL to any representations or warranties NOT EXPRESSLY SET FORTH IN THIS AGREEMENT.

9. **PROPRIETARY RIGHTS.** Dovetail and its suppliers shall retain exclusive right, title and interest in and to the Software, including the object code, source code, program architecture, design, coding methodology, Documentation, screen shots, and "look and feel" therefor, all Updates thereto, all goodwill associated therewith, and all present and future copyrights, trademarks, trade secrets, patent rights and other intellectual property rights of any nature throughout the world embodied therein and appurtenant thereto. All rights and licenses to the Software not expressly granted to You in this Agreement are reserved by Dovetail and its suppliers. From time to time, You may submit suggestions, requests or other feedback for the Software. Dovetail shall be free to commercialize and use such feedback, including for developing improvements to its products and services, free of any claims, payment obligations, or proprietary, confidentiality or other restrictions of any kind.

10. **LIMITATIONS ON LIABILITY.** IN NO EVENT SHALL DOVETAIL BE LIABLE FOR ANY INDIRECT, INCIDENTAL, CONSEQUENTIAL, EXEMPLARY, SPECIAL, PUNITIVE OR SIMILAR DAMAGES ARISING OUT OF OR RELATED TO THE SOFTWARE OR THIS AGREEMENT, INCLUDING LOSS OF BUSINESS, PROFITS OR REVENUE, LOSS OR DESTRUCTION OF DATA, BUSINESS INTERRUPTION OR DOWNTIME. THE TOTAL CUMULATIVE LIABILITY OF DOVETAIL ARISING OUT OF AND RELATED TO THE SOFTWARE AND THIS AGREEMENT SHALL NOT, REGARDLESS OF THE NUMBER OF INCIDENTS OR CAUSES GIVING RISE TO ANY SUCH LIABILITY, EXCEED TEN U.S. DOLLARS (\$10). THE LIMITATIONS ON LIABILITY IN THIS SECTION SHALL APPLY TO THE MAXIMUM EXTENT PERMITTED UNDER APPLICABLE LAW, REGARDLESS OF THE CAUSE OF ACTION OR BASIS OF LIABILITY (WHETHER IN CONTRACT, TORT OR OTHERWISE), AND EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. THESE LIMITATIONS ON LIABILITY ARE AN ESSENTIAL PART OF THIS AGREEMENT, AND SHALL BE VALID AND BINDING EVEN IF ANY REMEDY IS DEEMED TO FAIL OF ITS ESSENTIAL PURPOSE.

11. **MISCELLANEOUS**

Governing Law. This Agreement shall be governed and interpreted for all purposes by the laws of the State of Missouri, U.S.A., without reference to any conflict of laws principles that would require the application of the laws of a different jurisdiction. The United Nations Convention on Contracts for the International Sale of Goods and the Uniform Computer Information Transactions Act (as enacted in any jurisdiction) do not and shall not apply to this Agreement, and are hereby specifically excluded.

Jurisdiction; Venue. Any dispute, action or proceeding arising out of or related to the Software or this Agreement shall be commenced in the state courts of St. Louis County, Missouri or, where proper subject matter jurisdiction exists, the United States District Court for the Eastern District of Missouri. Each party irrevocably submits and waives any objections to the exclusive personal jurisdiction and venue of such courts, including any objection based on forum non conveniens.

Notices. All notices under this Agreement shall be in writing, and shall be delivered personally or by postage prepaid certified mail or express courier service, return receipt requested. Notices to You may be delivered to the most current address on file. Notices to Dovetail shall be directed to the following address, unless Dovetail has provided an alternative notice address:

Dovetailed Technologies, LLC
305 Willowpointe Drive
St. Charles, MO 63304

Assignments. You may not assign or transfer this Agreement, or any rights or duties hereunder, in whole or in part, whether by operation of law or otherwise, without the prior written consent of Dovetail. Any attempted assignment or transfer in violation of the foregoing shall be null and void from the beginning and without effect. Dovetail may freely assign or transfer this Agreement, including to a successor in interest upon Dovetail's merger, acquisition, corporate reorganization, or sale or other transfer of all or substantially all of its business or assets to which this Agreement relates.

Relationship; Third Party Beneficiaries. The parties hereto are independent contractors. Nothing in this Agreement shall be deemed to create any agency, employment, partnership, fiduciary or joint venture relationship between the parties, or to give any third party any rights or remedies under or by reason of this Agreement; provided, however, the disclaimers and limitations on liability in this Agreement shall extend to Dovetail and its directors, officers, shareholders, employees, agents and affiliates. All references to Dovetail in connection therewith shall be deemed to include the foregoing persons and entities, who shall be third party beneficiaries of such contractual disclaimers and limitations and entitled to accept all benefits afforded thereby.

Equitable Relief. The Software comprises the confidential and proprietary information of Dovetail and its suppliers, and constitutes a valuable trade secret. You acknowledge that Your breach of the license or ownership provisions of this Agreement would cause irreparable harm to Dovetail, the extent of which would be difficult and impracticable to assess, and that money damages would not be an adequate remedy for such breach. Accordingly, in addition to all other remedies available at law or in equity, and as an express exception to the jurisdiction and venue requirements of this Agreement, Dovetail shall be entitled to seek injunctive or other equitable relief in any court of competent jurisdiction.

U.S. Government Restricted Rights. The Software and Documentation are licensed with RESTRICTED RIGHTS as "Commercial Items," as that term is defined at 48 C.F.R. §2.101, consisting of "Commercial Computer Software" and "Commercial

Computer Software Documentation," as such terms are used in 48 C.F.R. §12.212 or 48 C.F.R. §227.7202, as applicable. Consistent with 48 C.F.R. §12.212 or 48 C.F.R. §227.7202-1 through 227.7202-4, as applicable, the Commercial Computer Software and Commercial Computer Software Documentation is licensed (if at all) to U.S. Government end users only as Commercial Items, and with only those rights as are granted to other licensees pursuant to this Agreement.

Export Control. The Software and underlying information and technology may not be accessed or used except as authorized by United States and other applicable law, and further subject to compliance with this Agreement. The Software may not be exported or re-exported into any U.S. embargoed countries, or to anyone on the U.S. Treasury Department's list of Specially Designated Nationals or the U.S. Department of Commerce Denied Person's List or Entity List. You represent and warrant that You and Your end users are not located in, under the control of, or a national or resident of any country or on any such list.

Amendment; Waiver. This Agreement may be amended only by a written instrument signed by an authorized representative of Dovetail. No rights shall be waived by any act, omission or knowledge of a party, except by an instrument in writing expressly waiving such rights and signed by an authorized representative of the waiving party. Any waiver on one occasion shall not constitute a waiver on subsequent occasions.

Severability; Construction. If any provision of this Agreement is determined to be invalid or unenforceable under applicable law, such provision shall be amended by a court of competent jurisdiction to accomplish the objectives of such provision to the greatest extent possible, or severed from this Agreement if such amendment is not possible, and the remaining provisions of this Agreement shall continue in full force and effect. The captions and section headings in this Agreement are for reference purposes only and shall not affect the meaning or interpretation of this Agreement. The term "including" as used herein means "including without limitation." The terms "herein," "hereto," "hereof," and similar variations refer to this Agreement as a whole, rather than to any particular section.

Entire Agreement. This Agreement sets forth the entire agreement of the parties and supersedes all prior agreements and understandings, whether written or oral, with regard to the subject matter hereof. Any additional or conflicting terms proposed by You in any purchase order, request for proposal, acknowledgement, or other writing shall not be binding, and are hereby objected to and expressly rejected.